AERATION SYSTEMS





COMBINE ENERGY-SAVING AERATION AND EFFICIENT HAZARD-FREE UNLOADING WITH AIRAUGER SYSTEMS

Empty bins safely and completely with AIRLANCO's dual-purpose AIRAUGER System. By combining pitched flooring, troughs that connect to exterior ductwork, precision perforated decking and proprietary AIRLANCO technology, AIRAUGER systems efficiently empties product that would otherwise bridge or get hung up in the storage unit. Fans, controls and all serviceable components are mounted outside the storage bin for safety.

Welcome to

AIRLANCO | Aeration Leads the Field

Dependable Performance

AIRLANCO, the nation's leading name in aeration, makes dependable centrifugal and axial fans, ducting, transitions and other sheet metal and aeration products that are used daily across North America. AIRLANCO Aeration Systems are custom built for each installation, from farm storage bins to major terminals and more to provide optimum storage conditions. AIRLANCO is constantly improving the fan and air duct designs to handle new and more demanding applications.




GET EXPERT DESIGN ASSISTANCE

AIRLANCO's experienced engineers, technicians and craftsmen create custom solutions for each installation. Unlike most suppliers of aeration equipment, AIRLANCO manufactures the components and provides the design expertise to assemble complete aeration systems to meet any requirement. AIRLANCO will recommend the best and most cost-effective options based on the characteristics of the products employed and the storage conditions needed to achieve. AIRLANCO sales engineers will demonstrate the advantages of installing AIRLANCO® Aeration Systems or an AIRAUGER® System. Before building a new storage facility or upgrade an existing facility, call 800-500-9777 or 402-245-2325 for information.

SYSTEM DESIGN

AIRLANCO Aeration Systems are individually designed for each storage facility to maintain proper grain or seed temperature and moisture levels for the specified length of storage.







CENTRIFUGAL FAN

AIRLANCO Centrifugal Fans are ideal for installations involving temporary wet grain holding, deep storage and facilities where high static pressures are required. AIRLANCO's direct, rugged steel housings and non-overloading, vibration-proof fanwheels enhance performance and durability. Low power consumption combined with generous air delivery result in low-cost, efficient aeration even under the most demanding conditions.



AXIAL FANS

AIRLANCO® Axial Fans are engineered for efficient, high-volume air delivery where storage depth is low to medium. Axial airfoil propellers are cast in shatter resistant aluminum alloy. They are statically and dynamically balanced and secured to the motor shaft with a selflocking mechanism. Housings are constructed of heavy-gauge steel to exacting tolerances that allow easy replacement of parts during service.



TAPERED ROOF EXHAUSTERS

Our Universal Tapered Roof Exhausters are designed to fit any sloped-roof or round metal bins without the need for special adapters. The removable top cover allows the user to position and bolt the units in place before cutting holes and permits easy service access. Available in a 24-inch 2-hp model rated at 10,200 CFM.



VERTICAL AXIAL ROOF EXHAUSTER

AIRLANCO® Vertical Axial Roof Exhausters are built for use on concrete tanks and can be installed on new or existing flat roofs. They are available in 24-inch, 2 hp and 40-inch, 5 hpmodels with 10,200 and 27,600 cfm ratings, respectively.



MANIFOLDS & AERATION ACCESSORIES

CESSORIES

AIRLANCO designs and manufactures the manifolds, transitions, pipes, fittings and all other accessories needed to build complete, custom-fitted aeration systems.

AIRLANCO | Replacement Parts & Service

Receive All Parts from One Source

AIRLANCO's Service and Parts department stocks a full range of service items and replacement parts for aeration equipment, receivers, bag dumps, blower packages, airlocks and bin vents. AIRLANCO's inventory includes commonly requested service parts for equipment made by other manufacturers as well as well as service parts by AIRLANCO. Therefore, it is likely that all parts and maintenance items needed are from the same source. Fabric filters of many types and sizes, cages, cartridge filters, diaphragm valves and other replacement parts are commonly in stock and ready for immediate shipment.

- Centrifugal Fans
- Axial Fans
- Flush Floor Systems
- Roof Exhausters
- Corrugated Pipe
- Manifold Systems
- Manifold Fittings
- Butterfly Valves
- Barrel-Type Silencers
- Elbow Silencers
- Vibration
- Dampeners
- Gravity Vents

- Shutters
- Ducts & Accessories
- Spiral Seam Pipe
- austers Saddle Tees
 - Three-Piece Wyes
 - Filter Bag
 - Cages
 - Cartridge Filters
 - Airlocks
 - Pneumatic Tubing
 - Diaphragm Valves
 - Solenoid Valves
 - Timer Boards

Fast & Responsive Service

From Filter Bags to major components, AIRLANCO will guarantee the products meet equipment and timetable expectations. When quality parts, components and timely turnaround are needed. AIRLANCO customers can expect consistently responsive service. and consistently responsive service.

Service sets us apart.

Leading the Field in Aeration, Unloading & Dust Control

With over 30 years of experience in the industry, AIRLANCO is the nation's leading designer and manufacturer of aeration and unloading components, equipment and dust control systems. AIRLANCO's dependable centrifugal and axial fans, roof exhausters, ducting, transitions, dust control and other sheet metal and aeration products are in daily use at thousands of sites across North America – from farm storage to export terminals. AIRLANCO's standard components are made from heavy-gauge galvanized steel for extended service life and are customized for each installation.

AIRLANCO's engineering staff will demonstrate the advantages of AIRLANCO AIRAUGER, Aeration or Dust Control Systems when planning to build new storage or upgrade an existing facility.

AIRLANCO



312 South Highway 73, PO BOX 398 Fa 800.500.9777 sales@airlanco.com a 1215

Falls City, Nebraska mairlanco.com

raska USA 68355



